



KOMO®
Product certificate
K11675/05



Issued 2019-07-01 Replaces K11675/04
Valid until Indefinite Dated 2018-07-01
Page 1 of 9

Metal fittings for TECEflex and TECElogo systems

TECE GmbH

STATEMENT BY KIWA

This product certificate is issued on the basis of BRL 5610 "Plastics piping system of PE-X /Al intended for heating installations: radiator connections" dated 25 October 2016, conform the Kiwa-Regulations for Certification.

The quality system and product characteristics in association with are assessed periodically.

On this basis Kiwa declares that a justified confidence exists, that the delivered by the certificate holder at delivery fulfill:

- the technical specification laid down in this product certificate,
- the product requirements as laid down in this product certificate and in the BRL.

provided that has/have been marked with the KOMO®-mark in a manner as indicated in this product certificate;

Ronald Karel
Kiwa

473181121

This product certificate is only valid in combination with a KOMO certified plastics piping system.

Dit productcertificaat is opgenomen in het overzicht op de website van Stichting KOMO: www.komo.nl.

Gebruikers van dit productcertificaat worden geadviseerd om te controleren of deze nog geldig is, raadpleeg hiertoe de website van Kiwa: www.kiwa.nl.

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Holder of Certificate
TECE GmbH
Hollefeldstraße 57
48282 EMSDETTEN
Germany
Tel. 02572 / 9280
Fax 02572 / 928-124
info@tece.de
www.tece.de



Evaluated is:
quality system
product
Periodic inspection

Metal fittings for TECEflex and TECElogo systems

TECHNICAL SPECIFICATION

TECEflex system

Teceflex 14-63 mm fittings are also according to BRL 5606: "Plastics piping systems of PE-X intended for heating installations: radiator connections".

Article number	Description
705102	TECEflex female connector dimension 16 x Rp 1/2", red brass
705103	TECEflex female connector dimension 20 x Rp 1/2", red brass
705104	TECEflex female connector dimension 20 x Rp 3/4", red brass
705105	TECEflex female connector dimension 25 x Rp 3/4", red brass
705106	TECEflex female connector dimension 25 x Rp 1", red brass
705107	TECEflex female connector dimension 32 x Rp 1", red brass
705108	TECEflex female angle connector dimension 40 x Rp 1 1/2", red brass
705109	TECEflex female connector dimension 50 x Rp 2", red brass
705110	TECEflex female connector dimension 63 x Rp 2", red brass
705601	TECEflex male connector dimension 16 x R 1/2", red brass
705602	TECEflex male connector dimension 16 x R 3/4", red brass
705603	TECEflex male connector dimension 20 x R 1/2", red brass
705604	TECEflex male connector dimension 20 x R 3/4", red brass
705605	TECEflex male connector dimension 25 x R 3/4", red brass
705606	TECEflex male connector dimension 25 x R 1", red brass
705607	TECEflex male connector dimension 32 x R 1", red brass
705608	TECEflex male connector dimension 32 x R 1 1/4", red brass
705609	TECEflex male connector dimension 40 x R 1 1/4", red brass
705610	TECEflex male connector dimension 50 x R 1 1/2", red brass
705611	TECEflex male connector dimension 63 x R 2", red brass
706216	TECEflex coupling dimension 16 x 16, red brass
706220	TECEflex coupling dimension 20 x 20, red brass
706225	TECEflex coupling dimension 25 x 25, red brass
706232	TECEflex coupling dimension 32 x 32, red brass
706240	TECEflex coupling dimension 40 x 40, red brass
706250	TECEflex coupling dimension 50 x 50, red brass
706263	TECEflex coupling dimension 63 x 63, red brass
706603	TECEflex coupling reduced dimension 20 x 16, red brass
706604	TECEflex coupling reduced dimension 25 x 16, red brass
706605	TECEflex coupling reduced dimension 25 x 20, red brass
706606	TECEflex coupling reduced dimension 32 x 20, red brass
706607	TECEflex coupling reduced dimension 32 x 25, red brass
706608	TECEflex coupling reduced dimension 40 x 32, red brass
706609	TECEflex coupling reduced dimension 50 x 40, red brass
706610	TECEflex coupling reduced dimension 63 x 50, red brass
707165	TECEflex elbow 45° dimension 50 x 50, red brass
707166	TECEflex elbow 45° dimension 63 x 63, red brass
707167	TECEflex elbow 45° dimension 25 x 25, red brass
707168	TECEflex elbow 45° dimension 32 x 32, red brass
707169	TECEflex elbow 45° dimension 40 x 40, red brass
707316	TECEflex 90° elbow pressure loss opt. Dimension 16 x 16, red brass
707320	TECEflex 90° elbow pressure loss opt. Dimension 20 x 20, red brass
707325	TECEflex 90° elbow pressure loss opt. Dimension 25 x 25, red brass
707332	TECEflex 90° elbow pressure loss opt. Dimension 32 x 32, red brass
707340	TECEflex 90° elbow pressure loss opt. Dimension 40 x 40, red brass
707350	TECEflex 90° elbow pressure loss opt. Dimension 50 x 50, red brass
707363	TECEflex 90° elbow pressure loss opt. Dimension 63 x 63, red brass
707801	TECEflex male elbow red brass 16x1/2"
707802	TECEflex male elbow red brass 20x1/2"
707803	TECEflex male elbow red brass 20x3/4"
707804	TECEflex male elbow red brass 25x3/4"
707805	TECEflex male elbow red brass 25x1"
707806	TECEflex male elbow red brass 32x1"



Metal fittings for TECEflex and TECElogo systems

708100	TECEflex compact angle bracket dim. 16 x 1/2" red brass
708101	TECEflex female elbow red brass 16x1/2"
708102	TECEflex female elbow red brass 20x1/2"
708103	TECEflex female elbow red brass 20x3/4"
708104	TECEflex female elbow red brass 25x3/4"
708105	TECEflex female elbow red brass 32x1"
708106	TECEflex female angle connector dimension 40 x Rp 1 1/2", red brass
708107	TECEflex female angle connector dimension 50 x Rp 1 1/2", red brass
708606	TECEflex U double wall disc, red brass 16 x Rp 1/2" x 20, optimised against pressure loss
708607	TECEflex U double wall disc, red brass 20 x Rp 1/2" x 16, optimised against pressure loss
708608	TECEflex U valve connector red brass 16 x 16 x R 1/2", optimised against pressure loss
708610	TECEflex wall disk 16 X 1/2" red brass
708611	TECEflex wall disk 20X1/2" red brass
708612	TECEflex wall disk 20X3/4" red brass
708613	TECEflex wall disk 25X3/4" red brass
708614	TECEflex wall disk long red brass 16x1/2"
708625	TECEflex double wall disk red brass 16x1/2"
708626	TECEflex double wall disk red brass 20x1/2"
708705	TECEflex wall bushing 16x1/2" with pressure ring, red brass
708706	TECEflex wall bushing 1/2" female thread x1/2" male thread red brass
709801	TECEflex tee 16x1/2" female thread x 16 red brass
709802	TECEflex tee 20x1/2" female thread x20 red brass
709803	TECEflex tee 25x1/2" female thread x25 red brass
709804	TECEflex tee 25x3/4" female thread x25 red brass
709805	TECEflex tee 32x1" female thread x32 red brass
709806	TECEflex tee 40x1" female thread x40 red brass
709807	TECEflex tee 50x1 1/4" female thread x50 red brass
709808	TECEflex tee 63x1 1/2" female thread x63 red brass
710116	TECEflex tee dimension 16 x 16 x 16, red brass
710120	TECEflex tee dimension 20 x 20 x 20, red brass
710125	TECEflex Tee dimension 25 x 25 x 25, red brass
710132	TECEflex Tee dimension 32 x 32 x 32, red brass
710140	TECEflex Tee dimension 40 x 40 x 40, red brass
710150	TECEflex Tee dimension 50 x 50 x 50, red brass
710163	TECEflex Tee dimension 63 x 63 x 63, red brass
710601	TECEflex Tee reduced dimension 16 x 20 x 16, red brass
710602	TECEflex Tee reduced dimension 20 x 16 x 16, red brass
710603	TECEflex Tee reduced dimension 20 x 16 x 20, red brass
710604	TECEflex Tee reduced dimension 20 x 20 x 16, red brass
710605	TECEflex Tee reduced dimension 25 x 16 x 20, red brass
710606	TECEflex Tee reduced dimension 25 x 16 x 25, red brass
710607	TECEflex Tee reduced dimension 25 x 20 x 20, red brass
710608	TECEflex Tee reduced dimension 25 x 20 x 25, red brass
710609	TECEflex Tee reduced dimension 20 x 25 x 20, red brass
710610	TECEflex Tee reduced dimension 32 x 16 x 32, red brass
710611	TECEflex Tee reduced dimension 32 x 20 x 32, red brass
710612	TECEflex Tee reduced dimension 32 x 25 x 32, red brass
710613	TECEflex Tee reduced dimension 32 x 25 x 25, red brass
710614	TECEflex Tee reduced dimension 40 x 20 x 40, red brass
710615	TECEflex Tee reduced dimension 40 x 25 x 40, red brass
710616	TECEflex Tee reduced dimension 40 x 32 x 40, red brass
710617	TECEflex Tee reduced dimension 40 x 32 x 32, red brass
710618	TECEflex Tee reduced dimension 50 x 20 x 50, red brass
710619	TECEflex Tee reduced dimension 50 x 25 x 50, red brass
710620	TECEflex Tee reduced dimension 50 x 32 x 50, red brass
710621	TECEflex Tee reduced dimension 50 x 40 x 50, red brass
710622	TECEflex Tee reduced dimension 63 x 32 x 63, red brass
710623	TECEflex Tee reduced dimension 63 x 50 x 63, red brass
712201	TECEflex two-way manifold, 16x3/4" red brass
712202	TECEflex three-way manifold, 16x3/4" red brass
714016	TECEflex radiator mounting bracket 15 mm dimension 16, length 300 mm, Cu nickel-plated
714020	TECEflex radiator mounting bracket 15 mm dimension 20, length 300 mm, Cu nickel-plated
714516	TECEflex radiator mounting bracket 15 mm dimension 16, length 1100 mm, Cu nickel-plated



Metal fittings for TECEflex and TECElogo systems

714901	TECEflex radiator assembly set for compact radiators with integrated valves, floor-mounted, nickel plated, centres
714902	TECEflex radiator mounting set for compact radiator with integrated valve, floor-mounted, nickel-plated, dim.16 x
714904	TECEflex radiator mounting set for compact radiator with integrated valve, floor-mounted, nickel-plated, dim.16 x
714905	TECEflex radiator mounting set for compact radiator with integrated valve, wall-mounted, dimension 16
715016	TECEflex radiator mounting tee 15 mm dimension 16, length 330 mm, Cu nickel-plated
715020	TECEflex mounting tee 15 mm dimension 20, length 330 mm, Cu nickel-plated
716316	TECEflex solder press connection dimension 16 to 15 mm Cu, red brass
716320	TECEflex solder press connection dimension 20 to 18 mm Cu, red brass
716321	TECEflex solder press connection dimension 20 to 22 mm Cu, red brass
716325	TECEflex solder press connection dimension 25 to 22 mm Cu, red brass
716332	TECEflex solder press connection dimension 32 to 28 mm Cu, red brass
716340	TECEflex adapter for hygiene-box 16mm
716341	TECEflex adapter for hygiene-box 20mm
716342	TECEflex press-soldering-adapter f. hygiene box 15mm
716343	TECEflex press-soldering-adapter f. hygiene box 18mm
716344	TECEflex adapter for hygiene-box 1/2"IT
717601	TECEflex screw connection flat sealing 16x1/2" red brass
717602	TECEflex screw connection flat sealing 16x3/4" red brass
717603	TECEflex screw connection flat sealing 20x3/4" red brass
717604	TECEflex screw connection flat sealing 20x1" red brass
717605	TECEflex screw connection flat sealing 25x1" red brass
717606	TECEflex screw connection flat sealing 25x1 1/4" red brass
717607	TECEflex screw connection flat sealing 32x1 1/4" red brass
717608	TECEflex screw connection flat sealing 32x1 1/2" red brass
718501	TECEflex cross fitting 16 x 16 x 16 mm, nickel-plated
718502	TECEflex cross fitting 20 x 16 x 16 mm, nickel-plated
718503	TECEflex cross fitting 20 x 16 x 20 mm, nickel-plated
720550	TECEflex mounting unit with 2 wall disks 16x1/2" pipe thread to galvanized steel fasteners
720560	TECEflex mounting unit 150 with wall disk red brass 16x1/2" female thread
720562	TECEflex mounting unit 150 with wall disk red brass 20x1/2" female thread
720565	TECEflex assembly unit with wall discs gauge 80 mm, dimension 16 x Rp 1/2" RB
720566	TECEflex assem. unit 2 U-double wall d., dimension 16 x Rp1/2" x 16 RB
720590	TECEflex wall disc dimension 14 x Rp 1/2", red brass
720591	TECEflex Tee dimension 14 x 14 x 14, red brass
720592	TECEflex Tee reduced dimension 16 x 14 x 16, red brass
720593	TECEflex elbow 90° 14x14 Rb
720594	TECEflex coupling dimension 14 x 14, red brass
720595	TECEflex coupling reduced 16x14 Rb
760014	TECEflex tee standard brass, dim. 14 x 14 x 14
760016	TECEflex tee standard brass, dim. 16 x 16 x 16
760020	TECEflex tee standard brass, dim. 20 x 20 x 20
760025	TECEflex tee standard brass, dim. 25 x 25 x 25
760032	TECEflex tee standard brass, dim. 32 x 32 x 32
760040	TECEflex tee standard brass, dim. 40 x 40 x 40
760503	TECEflex tee reduced standard brass, dim. 16 x 14 x 16
760504	TECEflex tee reduced standard brass, dim. 16 x 20 x 16
760507	TECEflex tee reduced standard brass, dim. 20 x 14 x 20
760508	TECEflex tee reduced standard brass, dim. 20 x 16 x 16
760509	TECEflex tee reduced standard brass, dim. 20 x 16 x 20
760511	TECEflex tee reduced standard brass, dim. 20 x 20 x 16
760512	TECEflex tee reduced standard brass, dim. 16 x 14 x 14
760514	TECEflex tee reduced standard brass, dim. 25 x 16 x 25
760515	TECEflex tee reduced standard brass, dim. 25 x 20 x 25
760516	TECEflex tee reduced standard brass, dim. 25 x 16 x 16
760517	TECEflex tee reduced standard brass, dim. 25 x 32 x 25
760518	TECEflex tee reduced standard brass, dim. 32 x 20 x 25
760519	TECEflex tee reduced standard brass, dim. 32 x 20 x 32
760520	TECEflex tee reduced standard brass, dim. 32 x 25 x 25
760521	TECEflex tee reduced standard brass, dim. 20 x 25 x 20
760522	TECEflex tee reduced standard brass, dim. 25 x 20 x 20
760523	TECEflex tee reduced standard brass, dim. 32 x 25 x 32
760524	TECEflex tee reduced standard brass, dim. 40 x 32 x 40
760525	TECEflex tee reduced standard brass, dim. 40 x 32 x 32



Metal fittings for TECEflex and TECElogo systems

760526	TECEflex tee reduced standard brass, dim. 50 x 32 x 50
760533	TECEflex tee reduced standard brass, dim. 40 x 25 x 40
760534	TECEflex tee reduced standard brass, dim. 50 x 25 x 50
760536	TECEflex tee reduced standard brass, dim. 40 x 20 x 40
760537	TECEflex tee reduced standard brass, dim. 32 x 16 x 32
760543	TECEflex tee reduced standard brass, dim. 40 x 25 x 32
760544	TECEflex tee reduced standard brass, dim. 25 x 16 x 20
763616	TECEflex Eurocone screw connection 3/4" dimension 16 standard brass
763620	TECEflex Eurocone screw connection 3/4" dimension 20 standard brass
765002	TECEflex female connector standard brass, 16 x 1/2" FT
765003	TECEflex female connector standard brass, 20 x 1/2" FT
765004	TECEflex female connector standard brass, 20 x 3/4" FT
765007	TECEflex female connector standard brass, 25 x 3/4" FT
765008	TECEflex female connector standard brass, 32 x 1" FT
765009	TECEflex female connector standard brass, 25 x 1" FT
765010	TECEflex female connector standard brass, 40 x 1 1/2" IT
765114	TECEflex end plugs standard brass, dim. 14
765116	TECEflex end plugs standard brass, dim. 16
765120	TECEflex end plug standard brass, dim. 20
765130	TECEflex mounting unit with wall disks made of standard brass 150mm 16x1/2"
765135	TECEflex mounting unit with wall disks made of standard brass 120mm 16x3/8"
765147	TECEflex mounting unit with wall disks made of standard brass 150mm 16x1/2"
765501	TECEflex male connector standard brass, 14 x R 1/2"
765502	TECEflex male connector standard brass, 16 x R 1/2"
765503	TECEflex male connector standard brass, 20 x R 1/2"
765504	TECEflex male connector standard brass, 20 x R 3/4"
765506	TECEflex male connector standard brass, 16 x R 3/4"
765507	TECEflex male connector standard brass, 25 x R 3/4"
765508	TECEflex male connector standard brass, 25 x R 1"
765509	TECEflex male connector standard brass, 32 x R 1"
765510	TECEflex male connector standard brass, 32 x R 1 1/4"
765511	TECEflex male connector standard brass, 40 x R 1 1/4"
765512	TECEflex male connector standard brass, 50 x R 1 1/2"
765513	TECEflex male connector standard brass, 63 x R 2"
765514	TECEflex male connector standard brass, 16 x R 3/8"
766014	TECEflex coupling standard brass, 14 x 14
766016	TECEflex coupling standard brass, 16 x 16
766020	TECEflex coupling standard brass, 20 x 20
766025	TECEflex coupling standard brass, 25 x 25
766032	TECEflex coupling standard brass, 32 x 32
766040	TECEflex coupling standard brass, 40 x 40
766050	TECEflex coupling standard brass, 50 x 50
766063	TECEflex coupling standard brass, 63 x 63
766501	TECEflex coupling reduced standard brass, 16 x 14
766503	TECEflex coupling reduced standard brass, 20 x 16
766504	TECEflex coupling reduced standard brass, 25 x 16
766505	TECEflex coupling reduced standard brass, 25 x 20
766506	TECEflex coupling reduced standard brass, 32 x 20
766507	TECEflex coupling reduced standard brass, 32 x 25
766508	TECEflex coupling reduced standard brass, 40 x 32
766509	TECEflex coupling reduced standard brass, 50 x 40
767014	TECEflex elbow 90° standard brass, 14 x 14
767016	TECEflex elbow 90° standard brass, 16 x 16
767020	TECEflex elbow 90° standard brass, 20 x 20
767025	TECEflex elbow 90° standard brass, 25 x 25
767032	TECEflex elbow 90° standard brass, 32 x 32
767040	TECEflex elbow 90° standard brass, 40 x 40
767050	TECEflex elbow 90° standard brass, 50 x 50
767063	TECEflex elbow 90°, standard brass, 63 x 63
767125	TECEflex elbow 45° dim. 25 x 25, standard brass
767132	TECEflex elbow 45° dim. 32 x 32, standard brass
767140	TECEflex elbow 45° dim. 40 x 40, standard brass
767501	TECEflex male elbow standard brass, dim. 20 x R 3/4"



Metal fittings for TECEflex and TECElogo systems

767516	TECEflex male elbow standard brass, dim. 16 x R 1/2"
767520	TECEflex male elbow standard brass, dim. 20 x R 1/2"
767525	TECEflex male elbow standard brass, dim. 25 x R 3/4"
767526	TECEflex male elbow standard brass, dim. 25 x R 1"
767532	TECEflex male elbow standard brass, dim. 32 x R 1"
767570	TECEflex screw connection, flat sealing standard brass, dim. 16 x 3/4"
767572	TECEflex screw connection, flat sealing standard brass, dim. 20 x 3/4"
767574	TECEflex screw connection, flat sealing standard brass, dim. 25 x 1"
767576	TECEflex screw connection, flat sealing standard brass, dim. 20 x 1"
767578	TECEflex screw connection, flat sealing standard brass, dim. 16 x 1/2"
767579	TECEflex screw connection, flat sealing standard brass, dim. 16 x 3/8"
768002	TECEflex female elbow standard brass, 20 x Rp 3/4"
768016	TECEflex female elbow standard brass, 16 x Rp 1/2"
768020	TECEflex female elbow standard brass, 20 x Rp 1/2"
768025	TECEflex female elbow standard brass, 25 x Rp 3/4"
768032	TECEflex female elbow standard brass, 32 x Rp 1"
768501	TECEflex double wall disk standard brass
768502	TECEflex wall disk, long standard brass
768514	TECEflex wall disk standard brass, dim. 14 x Rp 1/2"
768516	TECEflex wall disk standard brass, dim. 16 x Rp 1/2"
768520	TECEflex wall disk standard brass, dim. 20 x Rp 1/2"
768525	TECEflex wall disk standard brass, dim. 20 x Rp 3/4"
768526	TECEflex wall disk standard brass, dim. 25 x Rp 3/4"
769516	TECEflex tee FT standard brass, dim. 16 x Rp 1/2" x 16
769520	TECEflex tee FT standard brass, dim. 20 x Rp 1/2" x 20
769522	TECEflex tee FT standard brass, dim. 25 x Rp 1/2" x 25
769525	TECEflex tee FT standard brass, dim. 25 x Rp 3/4" x 25
769527	TECEflex tee FT standard brass, dim. 32 x Rp 1/2" x 32
769532	TECEflex tee FT standard brass, dim. 32 x Rp 1" x 32
769534	TECEflex tee IT standard brass, dim. 40 x Rp 1/2" x 40
769540	TECEflex tee IT standard brass, dim. 40 x Rp 1" x 40

TECElogo system

The products mentioned below are according to the requirements of BRL 5610: "Plastics piping systems of PE-X /Al intended for heating installations: radiator connections".

Article number	Description
8610002	TECElogo female connector standard brass, Dim. 16 x 1/2"
8610003	TECElogo female connector standard brass, Dim. 20 x 1/2"
8610004	TECElogo female connector standard brass, Dim. 20 x 3/4"
8610005	TECElogo female connector standard brass, Dim. 25 x 3/4"
8610006	TECElogo female connector standard brass, Dim. 25 x 1"
8610007	TECElogo female connector standard brass, Dim. 32 x 1"
8610008	TECElogo female connector standard brass, Dim. 40 x 1 1/2"
8610009	TECElogo female connector standard brass, Dim. 50 x 2"
8610100	TECElogo male connector standard brass, dim. 16 x 3/8"
8610102	TECElogo male connector standard brass, dim. 16 x 1/2"
8610103	TECElogo male connector standard brass, dim. 16 x 3/4"
8610104	TECElogo male connector standard brass, dim. 20 x 1/2"
8610105	TECElogo male connector standard brass, dim. 20 x 3/4"
8610106	TECElogo male connector standard brass, dim. 25 x 3/4"
8610107	TECElogo male connector standard brass, dim. 25 x 1"
8610108	TECElogo male connector Eurocone, standard brass, dim. 16 x 3/4"
8610109	TECElogo male connector Eurocone, standard brass, dim. 20 x 3/4"
8610116	TECElogo male connector standard brass, dim. 32 x 1"
8610117	TECElogo male connector standard brass, dim. 40 x 1 1/4"
8610118	TECElogo male connector standard brass, dim. 50 x 1 1/2"
8610202	TECElogo female elbow standard brass, dim. 16 x 1/2"
8610203	TECElogo female elbow standard brass, dim. 20 x 1/2"
8610204	TECElogo female elbow standard brass, dim. 20 x 3/4"
8610205	TECElogo female elbow standard brass, dim. 25 x 3/4"
8610206	TECElogo female elbow standard brass, dim. 32 x 1"
8610302	TECElogo male elbow standard brass, dim. 16 x 1/2"



Metal fittings for TECEflex and TECElogo systems

8610303	TECElogo male elbow standard brass, dim. 20 x 1/2"
8610304	TECElogo male elbow standard brass, dim. 20 x 3/4"
8610305	TECElogo male elbow standard brass, dim. 25 x 3/4"
8610306	TECElogo male elbow standard brass, dim. 25 x 1"
8610312	TECElogo male elbow standard brass, dim. 32 x 1"
8610402	TECElogo tee IT standard brass, dim. 16 x 1/2" x 16
8610403	TECElogo tee IT standard brass, dim. 20 x 1/2" x 20
8610404	TECElogo tee IT standard brass, dim. 25 x 3/4" x 25
8610406	TECElogo tee IT standard brass, dim. 32 x 1" x 32
8610408	TECElogo tee IT standard brass, dim. 40 x 1" x 40
8610410	TECElogo tee IT standard brass, dim. 50 x 1 1/4" x 50
8611205	TECElogo adapter screw connection standard brass, dim. 20 x 18 mm
8611210	TECElogo adapter screw connection standard brass, dim. 16 x 14 mm
8611211	TECElogo adapter screw connection standard brass, dim. 20 x 16 mm
8611212	TECElogo adapter screw connection standard brass, dim. 16 x 12 mm
8620002	TECElogo wall disk standard brass, dim. 16 x 1/2"
8620003	TECElogo wall disk standard brass, dim. 20 x 1/2"
8620007	TECElogo double wall disk standard brass, dim. 16 x 1/2" x 16
8620008	TECElogo wall disk long, standard brass, dim. 16 x 1/2"
8620009	TECElogo wall bushing standard brass, dim. 16 x 1/2"
8620100	TECElogo mounting unit standard brass
8620103	TECElogo mounting unit standard brass
8630002	TECElogo manifold 2-way dimension 16 x 3/4", standard brass
8630003	TECElogo manifold 3-way dimension 16 x 3/4", standard brass
8630200	TECElogo screw connection, flat sealing standard brass, dim. 16 x 3/8"
8630201	TECElogo screw connection, flat sealing standard brass, dim. 16 x 1/2"
8630202	TECElogo screw connection, flat sealing standard brass, dim. 16 x 3/4"
8630203	TECElogo screw connection, flat sealing standard brass, dim. 20 x 3/4"
8630204	TECElogo screw connection, flat sealing standard brass, dim. 25 x 1"
8630205	TECElogo screw connection, flat sealing standard brass, dim. 32 x 1 1/4"
8630207	TECElogo screw connection, flat sealing standard brass, dim. 40 x 1 1/2"
8640001	TECElogo press plugs with ventilation dimension 16, standard brass
8711225	TECElogo elbow 45° red brass 25 x 25
8711232	TECElogo elbow 45° 32 x 32
8711240	TECElogo elbow 45° red brass 40 x 40
8711250	TECElogo elbow 45° red brass 50 x 50
8711263	TECElogo elbow 45° 63 x 63
8713002	TECElogo female connector dimension 16 x Rp 1/2", red brass
8713003	TECElogo female connector dimension 20 x Rp 1/2", red brass
8713004	TECElogo female connector dimension 20 x Rp 3/4", red brass
8713005	TECElogo female connector dimension 25 x Rp 3/4", red brass
8713006	TECElogo female connector dimension 25 x Rp 1", red brass
8713007	TECElogo female connector dimension 32 x Rp 1", red brass
8713008	TECElogo female connector dimension 40 x Rp 1 1/2", red brass
8713009	TECElogo female connector dimension 50 x Rp 2", red brass
8713010	TECElogo female connector dimension 63 x Rp 2", red brass
8713102	TECElogo male connector dimension 16 x R 1/2", red brass
8713103	TECElogo male connector dimension 16 x R 3/4", red brass
8713104	TECElogo male connector dimension 20 x R 1/2", red brass
8713105	TECElogo male connector dimension 20 x R 3/4", red brass
8713106	TECElogo male connector dimension 25 x R 3/4", red brass
8713107	TECElogo male connector dimension 25 x R 1", brass
8713108	TECElogo male connector dimension 32 x R 1", brass
8713109	TECElogo male connector dimension 40 x R 1 1/4", red brass
8713110	TECElogo male connector dimension 50 x R 1 1/2", red brass
8713111	TECElogo male connector dimension 63 x R 2", brass
8713202	TECElogo female angle connector dimension 16 x Rp 1/2", red brass
8713203	TECElogo female angle connector dimension 20 x Rp 1/2", red brass
8713204	TECElogo female angle connector dimension 20 x Rp 3/4", red brass
8713205	TECElogo female angle connector dimension 25 x Rp 3/4", red brass
8713206	TECElogo female angle connector dimension 32 x Rp 1", red brass
8713302	TECElogo male angle connector dimension 16 x R 1/2", red brass
8713303	TECElogo male angle connector dimension 20 x R 1/2", red brass



Metal fittings for TECEflex and TECElogo systems

8713304	TECElogo male angle connector dimension 20 x R 3/4", red brass
8713305	TECElogo male angle connector dimension 25 x R 3/4", red brass
8713306	TECElogo male angle connector dimension 25 x R 1", red brass
8713307	TECElogo male angle connector dimension 32 x R 1", red brass
8713402	TECElogo Tee FT dimension 16 x Rp 1/2" x 16, red brass
8713403	TECElogo Tee FT dimension 20 x Rp 1/2" x 20, red brass
8713404	TECElogo Tee FT dimension 25 x Rp 3/4" x 25, red brass
8713405	TECElogo Tee FT dimension 32 x Rp 1" x 32, red brass
8713406	TECElogo Tee FT dimension 40 x Rp 1" x 40, red brass
8713407	TECElogo Tee FT dimension 50 x Rp 1 1/4" x 50, red brass
8713408	TECElogo Tee FT dimension 63 x Rp 1 1/2" x 63, red brass
8723002	TECElogo wall disc dimension 16 x Rp 1/2" x 16, brass
8723003	TECElogo universal wall disc dimension 20 x Rp 1/2", red brass
8723004	TECElogo wall disk, pipe thread, 20x1/2"
8723008	TECElogo universal wall disc long, dimension 20 x Rp 1/2", red brass
8723009	TECElogo universal wall duct dimension 16 x Rp 1/2", red brass
8723011	TECElogo universal double walled flange dimension 20 x Rp 1/2" x 20, red brass
8723100	TECElogo assembly unit with wall discs, dimension 16 x Rp 1/2" RB
8723101	TECElogo assembly unit with wall discs, dimension 16 x Rp 1/2" RB
8723102	TECElogo assembly unit with wall discs, dimension 20 x Rp 1/2" RB
8723103	TECElogo mounting unit 153 mm red brass
8730100	TECElogo press connector dimension 16 x 15, red brass
8730101	TECElogo press connector dimension 20 x 18, red brass
8730102	TECElogo press connector dimension 25 x 22, red brass
8733002	TECElogo universal manifold 2-way dimension 20 x 3/4", red brass
8733003	TECElogo universal manifold 3-way dimension 20 x 3/4", red brass
8733201	TECElogo screw connection, flat sealing dimension 16 x 1/2", red brass
8733202	TECElogo screw connection, flat sealing dimension 16 x 3/4", red brass
8733203	TECElogo screw connection, flat sealing dimension 20 x 3/4", red brass
8733204	TECElogo screw connection, flat sealing dimension 25 x 1", red brass
8733205	TECElogo screw connection, flat sealing dimension 32 x 1 1/4", red brass
8740101	TECElogo cross fitting 16 x 16 x 16 nickel-plated brass
8740102	TECElogo cross fitting 20 x 16 x 16 nickel-plated brass
8740103	TECElogo cross fitting 20 x 16 x 20 nickel-plated brass
8740401	TECElogo radiator mounting bracket 16 x 15 mm Cu, 330 mm
8740402	TECElogo radiator mounting bracket 20 x 15 mm Cu, 330 mm
8740403	TECElogo radiator mounting Tee 16 x 15 mm Cu, 330 mm
8740404	TECElogo radiator mounting Tee 20 x 15 mm Cu, 330 mm
8740405	TECElogo radiator mounting set for compact radiator with integrated valve, floor-mounted Dimension 16
8740406	TECElogo radiator mounting set for compact radiator with integrated valve, wall-mounted Dimension 16

Metal fittings for TECEflex and TECElogo systems

Marking

The minimum required marking on the fittings shall be:

- KOMO (if not possible KOMO only on the smallest packaging);
- the manufacturer's name, trade name or logo;
- nominal outside diameter of the corresponding pipe;
- production code.

Location of the marks: on every fitting.

The realization of the marks is as follows: clear, durable and indelible.

The minimum required marking on the smallest packaging unit of the fittings shall be:

- KOMO (or KOMO® word mark);
- certificate number of the accompanying technical approval-with-product certificate of the piping system, according the marking of the belonging pipe;
- the manufacturer's name, trade name, system name or logo;
- material identification if the fitting body is made of plastics;
- nominal outside diameter and nominal wall thickness of the corresponding pipe in mm.

Location of the marks: on every package.

The realization of the marks is as follows: clear, durable and indelible on every packaging.

APPLICATION AND USE

The products are intended to be applied in piping systems for hot water distribution for radiator connections at a maximum operating pressure of 6 bar (7 bar absolute or 6 bar overpressure) or 10 bar (11 bar absolute or 10 bar overpressure) under the conditions mentioned in table 1 of BRL-5610. The connections in the system shall be made according to the manufacturer's requirements, and in combination with the pipes, as listed in the KOMO systems certificates.

RECOMMENDATION FOR THE CUSTOMER

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

if you should reject a delivery on the basis of the above, please contact:

- TECE GmbH

and, if necessary:

- Kiwa Nederland B.V.

For the proper storage, transport and processing consult the instructions of the certificate holder.