

SECTION 1: Identification

1.1. GHS Product identifier

Product form	:	Article
Product name	:	VSH XPress Stainless (brass)
6211581		
6211590		
6211801		

1.2. Other means of identification

Other means of identification	:	SCIP Number: c1aab596-f9b4-4d20-a0d0-0c57e0365493
-------------------------------	---	---

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	:	Professional use
Recommended use	:	Product for connecting steel pipes

1.4. Supplier's details

Aalberts integrated piping systems BV B.V.
Oude Amersfoortseweg 99
NL- 1212AA Hilversum
The Netherlands
T +31 35 688 4211

1.5. Emergency phone number

Country	Organisation/Company	Address	Emergency number	Comment
Netherlands	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer B.00.118 Postbus 85500 3508 GA Utrecht	+31 88 755 80 00	Only for the purpose of informing medical personnel in cases of acute intoxications

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Reproductive toxicity, Category 1A	H360
Reproductive toxicity, Additional category, Effects on or via lactation	H362
Specific target organ toxicity — Repeated exposure, Category 1	H372
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects : Steel products are not considered as hazardous. However, individual customer processes such as welding, sawing, brazing, grinding, abrasive blasting, and machining may result in the formation of fumes, dust (combustible or otherwise), and/or particulate that may present the described hazards.

2.2. GHS Label elements, including precautionary statements

No labelling obligation.

2.3. Other hazards which do not result in classification

No additional information available

VSH XPress Stainless (brass)

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : CW617N

Name	Product identifier	%	Classification according to the United Nations GHS
Copper	CAS-No.: 7440-50-8	50 – 70	Aquatic Acute 1, H400 (M=10)
Zinc	CAS-No.: 7440-66-6	< 50	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lead	CAS-No.: 7439-92-1	1 – 3	Carc. 2, H351 Repr. 1A, H360 Lact., H362 STOT RE 1, H372 Aquatic Acute 1, H400
Nickel	CAS-No.: 7440-02-0	< 1	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Not specifically applicable to the product (as is).
First-aid measures after skin contact : Not applicable.
First-aid measures after eye contact : Not applicable.
First-aid measures after ingestion : Ingestion is not considered a potential route of exposure. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

No additional information available

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Fire hazard : Not expected to be a fire/explosion hazard under normal conditions of use.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

VSH XPress Stainless (brass)

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing. Wear personal protective equipment.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : None under normal use

Eye protection : Safety glasses

Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

VSH XPress Stainless (brass)

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: metal
Colour	: Not available
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability (solid, gas)	: Not available
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic (calculated value) (40 °C)	: Not applicable
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable
Solubility	: Not available
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle specific surface area	: Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

VSH XPress Stainless (brass)

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Nickel (7440-02-0)

LD50 oral rat	> 9000 mg/kg bodyweight
LC50 Inhalation - Rat	≥ 10,2 mg/l

Copper (7440-50-8)

LC50 Inhalation - Rat	> 5,11 mg/l/4h
-----------------------	----------------

Zinc (7440-66-6)

LD50 oral rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 5410 mg/m ³

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Suspected of causing cancer.
Reproductive toxicity : May damage fertility or the unborn child. May cause harm to breast-fed children.
STOT-single exposure : Not classified
STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Lead (7439-92-1)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Nickel (7440-02-0)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.
Classification procedure (Hazardous to the aquatic environment, short-term (acute)) : Calculation method
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.
Classification procedure (Hazardous to the aquatic environment, long-term (chronic)) : Calculation method

Lead (7439-92-1)

LC50 - Fish [1]	0,44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
LC50 - Fish [2]	1,17 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 - Crustacea [1]	600 µg/l (Exposure time: 48 h - Species: water flea)

Nickel (7440-02-0)

LC50 - Fish [1]	15,3 mg/l (Oncorhynchus mykiss)
EC50 - Crustacea [1]	87,5 µg/l (Ceriodaphnia dubia)
NOEC chronic fish	0,124 mg/l

VSH XPress Stainless (brass)

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Copper (7440-50-8)				
LC50 - Fish [1]	0,0068 – 0,0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)			
LC50 - Fish [2]	< 0,3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 - Crustacea [1]	0,03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
EC50 72h - Algae [1]	0,0426 – 0,0535 mg/l (Species: Pseudokirchneriella subcapitata [static])			
EC50 96h - Algae [1]	0,031 – 0,054 mg/l (Species: Pseudokirchneriella subcapitata [static])			
Zinc (7440-66-6)				
LC50 - Fish [1]	315 µg/l			
12.2. Persistence and degradability				
VSH XPress Stainless (brass)				
Persistence and degradability	No additional information available			
12.3. Bioaccumulative potential				
VSH XPress Stainless (brass)				
Bioaccumulative potential	No additional information available			
12.4. Mobility in soil				
VSH XPress Stainless (brass)				
Mobility in soil	No additional information available			
12.5. Other adverse effects				
Ozone	: Not classified			
Other adverse effects	: No additional information available			
SECTION 13: Disposal considerations				
13.1. Disposal methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
SECTION 14: Transport information				
In accordance with UN RTDG / IMDG / IATA				
UN RTDG				
IMDG				
IATA				
14.1. UN number				
Not regulated for transport				
14.2. UN Proper Shipping Name				
Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable		

VSH XPress Stainless (brass)

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)



14.4. Packing group

Not applicable

Not applicable

Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes

Dangerous for the environment : Yes

Marine pollutant : Yes

Dangerous for the environment : Yes

No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date : 22/06/2021
Revision date : 22/11/2021
Supersedes : 22/06/2021

Section	Changed item	Change	Comments
	Supersedes	Added	
	Revision date	Added	
	UN-No.(UN RTDG)	Removed	
	UN-No. (IMDG)	Removed	
	UN-No. (IATA)	Removed	

VSH XPress Stainless (brass)

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-statements:	
H228	Flammable solid
H261	In contact with water releases flammable gases
H317	May cause an allergic skin reaction
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H362	May cause harm to breast-fed children
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet applicable for regions

: NL - Netherlands

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)797676006 | info@chemprosbv.nl